

EAST 09/18/01, 552
DRC 10/13/04

L Number	Hits	Search Text	DB	Time stamp
1	2064329	((authenticat\$4 ADJ2 authoriz\$6) OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:15
2	66991	home ADJ2 network\$2 OR home ADJ2 agent\$1 OR HA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:55
3	18050	(((authenticat\$4 ADJ2 authoriz\$6) OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER)) AND (home ADJ2 network\$2 OR home ADJ2 agent\$1 OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:56
4	2083	(((authenticat\$4 ADJ2 authoriz\$6) OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER)) SAME (home ADJ2 network\$2 OR home ADJ2 agent\$1 OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:56
5	163732	(VPN\$2 OR (virtual\$3 ADJ2 path\$1) OR VPN OR (virtual\$3 ADJ2 private\$1) OR tunnel\$3 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:30
6	✓ 439	(((authenticat\$4 ADJ2 authoriz\$6) OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER)) SAME (home ADJ2 network\$2 OR home ADJ2 agent\$1 OR HA)) AND ((VPN\$2 OR (virtual\$3 ADJ2 path\$1) OR VPN OR (virtual\$3 ADJ2 private\$1) OR tunnel\$3 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:58
7	2169028	authenticat\$4 OR authoriz\$6 OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 09:19
8	12527	(authenticat\$4 OR authoriz\$6 OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER) SAME (home\$1 OR home\$1agent\$1 OR home\$1network\$1 OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:32
9	1432	((authenticat\$4 OR authoriz\$6 OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER) SAME (home\$1 OR home\$1agent\$1 OR home\$1network\$1 OR HA)) AND ((VPN\$2 OR (virtual\$3 ADJ2 path\$1) OR VPN OR (virtual\$3 ADJ2 private\$1) OR tunnel\$3 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:17
10	565	((authenticat\$4 OR authoriz\$6 OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER) SAME (home\$1 OR home\$1agent\$1 OR home\$1network\$1 OR HA)) SAME ((VPN\$2 OR (virtual\$3 ADJ2 path\$1) OR VPN OR (virtual\$3 ADJ2 private\$1) OR tunnel\$3 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:17

11	✓ 265	((authenticat\$4 OR authoriz\$6 OR authentication\$2authorizat\$4account\$4 OR AAA\$3 OR RADIUS OR TACAS OR DIAMETER) SAME (home\$1 OR home\$1agent\$1 OR home\$1network\$1 OR HA)) SAME ((VPN\$2 OR (virtual\$3 ADJ2 path\$1) OR VPN OR (virtual\$3 ADJ2 private\$1) OR tunnel\$3 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))) AND (370/\$6.cccls. OR 455/\$6.cccls. OR 380/\$6.cccls. OR 709/\$6.cccls. OR 713/\$6.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:18
13	764	(VPN\$2 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))) WITH (database\$1 OR table\$1 OR DB)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:32
14	✓ 37	((VPN\$2 OR IP\$SEC\$1 OR (IP ADJ2 (sec OR securit\$3)))) WITH (database\$1 OR table\$1 OR DB)) SAME (home\$1 OR home\$1agent\$1 OR home\$1network\$1 OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:33
15	✓ 99	AAA\$2H	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 09:19
16	✓ 14	("5680440" "5805997" "5862481" "5884169" "6038442" "6101387" "6163843" "6181935" "6188899" "6198933" "6223035" "6272129" "6353607" "6453162" "2001/0012779").PN.	USPAT	2004/10/13 09:21
-	172	kakemizu.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:10
-	9291	yamamura.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:11
-	19857	igarashi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:11
-	867	wakamoto.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:11
-	25	kakemizu.in. AND yamamura.in. AND igarashi.in. AND wakamoto.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:15
-	✓ 12	(kakemizu.in. OR yamamura.in. OR igarashi.in. OR wakamoto.in.) AND (VPN\$2 OR (virtual\$3 ADJ2 private\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:16
-	✓ 2	EP-1124396-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:19
-	8291	((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:20

-	22550	((mobil\$4 WITH (Internet\$1 OR IP\$3)) OR (RFC ADJ1 "2002") OR RFC-2002 OR RFC2000 OR (IMT ADJ1 "2000") OR IMT-2000 OR IMT2000)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:22
-	841	((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN) AND ((mobil\$4 WITH (Internet\$1 OR IP\$3)) OR (RFC ADJ1 "2002") OR RFC-2002 OR RFC2000 OR (IMT ADJ1 "2000") OR IMT-2000 OR IMT2000))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 08:23
-	✓ 582	((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN) AND ((mobil\$4 WITH (Internet\$1 OR IP\$3)) OR (RFC ADJ1 "2002") OR RFC-2002 OR RFC2000 OR (IMT ADJ1 "2000") OR IMT-2000 OR IMT2000)) AND ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN) AND ((mobil\$4 WITH (Internet\$1 OR IP\$3)) OR (RFC ADJ1 "2002") OR RFC-2002 OR RFC2000 OR (IMT ADJ1 "2000") OR IMT-2000 OR IMT2000)) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 380/\$6.ccls. OR 709/\$6.ccls. OR 713/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:43
-	23742	(authenticat\$4 ADJ1 authoriz\$5 ADJ2 Account\$4) OR AAA\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:17
-	✓ 218	((authenticat\$4 ADJ1 authoriz\$5 ADJ2 Account\$4) OR AAA\$1) AND ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 07:53
-	27656	(authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4 authoriz\$5 account\$4) OR AAA\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:42
-	668	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4 authoriz\$5 account\$4) OR AAA\$2) AND ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 17:55
-	✓ 385	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4 authoriz\$5 account\$4) OR AAA\$2) AND ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN)) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 380/\$6.ccls. OR 709/\$6.ccls. OR 713/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:23
-	1891	((IP OR (internet\$1 ADJ1 protocol\$1)) ADJ1 (SEC OR securit\$3) OR IP\$1Sec\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:30
-	✓ 278	((IP OR (internet\$1 ADJ1 protocol\$1)) ADJ1 (SEC OR securit\$3) OR IP\$1Sec\$1) AND ((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4 authoriz\$5 account\$4) OR AAA\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:42
-	9358	((IP OR (internet\$1 ADJ1 protocol\$1)) ADJ1 (SEC OR securit\$3) OR IP\$1Sec\$1) OR ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:44
-	107437	((home\$1 OR foreign) ADJ2 agent\$1) OR FA OR HA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:45
-	✓ 450	((IP OR (internet\$1 ADJ1 protocol\$1)) ADJ1 (SEC OR securit\$3) OR IP\$1Sec\$1) OR ((virtual\$3 ADJ1 private\$1 ADJ2 network\$3) OR VPN)) AND (((home\$1 OR foreign) ADJ2 agent\$1) OR FA OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 12:59

-	3664	((((home\$1 OR foreign) ADJ2 agent\$1) OR FA OR HA)) AND ((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:00
-	✓ 357	((((home\$1 OR foreign) ADJ2 agent\$1) OR FA OR HA)) SAME ((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22
-	6188	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) AND diameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:22
-	✓ 457	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME diameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:23
-	✓ 81	(((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME diameter\$1) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 380/\$6.ccls. OR 709/\$6.ccls. OR 713/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 13:23
-	✓ 15	("4692918" "5016244" "5018133" "5218600" "5371852" "5473599" "5572528" "5825759" "6163843" "6167513" "6172986" "6256300" "6272129" "6339830" "6393482").PN.	USPAT	2004/10/12 17:40
-	✓ 12	6795857.URPN. ("4692918" "5016244" "5018133" "5218600" "5371852" "5473599" "5793762" "6119160" "6148074" "6339830" "6377982" "6535493").PN.	USPAT USPAT	2004/10/12 17:49 2004/10/12 17:51
-	0 1730	6760444.URPN. (authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA)	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 17:54 2004/10/12 19:11
-	1253	(authenticat\$5 OR AAA\$2) WITH (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:12
-	3427	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) AND (home OR home\$1location\$1register\$1 OR HLR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 17:55
-	576	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME (home OR home\$1location\$1register\$1 OR HLR)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 17:56
-	✓ 391	((authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME (home OR home\$1location\$1register\$1 OR HLR) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 380/\$6.ccls. OR 709/\$6.ccls. OR 713/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:04
-	1203	(authenticat\$5 OR AAA\$2) WITH (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:13

-	✓ 121	(authenticat\$5 OR AAA\$2) WITH (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP ADJ1 (sec OR securit\$3)) OR IPSEC OR (virtual ADJ1 private\$1)) (authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP ADJ1 (sec OR securit\$3)) OR IPSEC OR (virtual ADJ1 private\$1)) (authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP\$2 ADJ1 (sec OR securit\$3)) OR IPSEC\$2 OR (virtual\$3 ADJ1 private\$1) OR tunnel\$3) (authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME MIP\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:15
-	✓ 181	(authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP ADJ1 (sec OR securit\$3)) OR IPSEC OR (virtual ADJ1 private\$1)) (authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP ADJ1 (sec OR securit\$3)) OR IPSEC OR (virtual ADJ1 private\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:23
-	✓ 397	(authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP\$2 ADJ1 (sec OR securit\$3)) OR IPSEC\$2 OR (virtual\$3 ADJ1 private\$1) OR tunnel\$3) (authenticat\$4 ADJ2 authoriz\$5) OR (authenticat\$4authoriz\$5account\$4) OR AAA\$2) SAME MIP\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/12 19:24
-	✓ 74	(authenticat\$5 OR AAA\$2) SAME (home\$1location\$1register\$1 OR HLR OR (home ADJ2 register\$1) OR (home ADJ2 location\$1) OR (home ADJ2 agent\$1) OR HA) AND (wireless OR radio OR mobile OR mobile\$1IP OR IMT-2000 OR IMT2000) AND (VPN OR (virtual ADJ1 path\$1) OR (IP ADJ1 (sec OR securit\$3)) OR IPSEC OR (virtual ADJ1 private\$1)) (authenticat\$5 OR AAA\$2) SAME MIP\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/12 19:42

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.
Example: optical <and> (fiber <or> fibre) <in> ti
- 3) Limit the results by selecting Search Options.
- 4) Click Search. See [Search Examples](#)

```
(aaa* or (authenticat*  
<near/2> authoriz*) or tacas  
or radius) <paragraph>  
(tunnel* or path* or vpn or
```



Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

[Help](#)

Search Options:

Select publication types:

- IEEE Journals
- IEE Journals
- IEEE Conference proceedings
- IEE Conference proceedings
- IEEE Standards

Select years to search:

From year: to

Organize search results by:

Sort by:

In: order

List Results per page

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**

Help

1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)

2) Limit your search by using search operators and field codes, if desired.

Example: optical <and> (fiber <or> fibre) <in> ti

3) Limit the results by selecting Search Options.

4) Click Search. See [Search Examples](#)

(aaa* or (authenticat*
<near/2> authoriz*) or tacas
or radius) <paragraph> (home*
or ha or home*agent*)

Start Search **Clear**

Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- IEEE Journals
- IEE Journals
- IEEE Conference proceedings
- IEE Conference proceedings
- IEEE Standards

Select years to search:

From year: All to Present

Organize search results by:

Sort by: Year
In: Descending order

List 15 Results per page